




**PG Series** Outdoor Emergency Lighting Unit  
 • 120/277 VAC • Wet Location Listed  
 • Wall Mounting • LED Light Engine

**3S SCHEDULED STOCK SHIPMENTS** Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	CA 03	IL 06	PA 10	SC 07	TX 04	Wt. each	Ctn. Qty	Price
PGW	PGW	782520862060	"Wet Location Outdoor Emergency Lighting Unit, White Housing, Spectron® Circuitry"	●			●		6.20 lbs.	6	
PGZ	PGZ	782520862077	"Wet Location Outdoor Emergency Lighting Unit, Dark Bronze Housing, Spectron® Circuitry"	●			●		6.20 lbs.	6	
PGP	PGP	782520862084	"Wet Location Outdoor Emergency Lighting Unit, Platinum Silver Housing, Spectron® Circuitry"	●			●		6.20 lbs.	6	
PGB	PGB	782520862459	Wet Location Outdoor Emergency Lighting Unit, Black Housing, Spectron® Circuitry	●			●		6.20 lbs.	6	
PGW-HTR	PGW-HTR	782520862091	"Wet Location Outdoor Emergency Lighting Unit, White Housing, With Battery Heater, Spectron® Circuitry"		●	●			6.50 lbs.	6	
PGZ-HTR	PGZ-HTR	782520862107	Wet Location Outdoor Emergency Lighting Unit, Dark Bronze Housing, With Battery Heater, Spectron® Circuitry		●	●			6.50 lbs.	6	
PGP-HTR	PGP-HTR	782520862114	"Wet Location Outdoor Emergency Lighting Unit, Platinum Silver Housing, With Battery Heater, Spectron® Circuitry"		●	●			6.50 lbs.	6	
PGB-HTR	PGB-HTR	782520862466	Wet Location Outdoor Emergency Lighting Unit, Black Housing, With Battery Heater, Spectron® Circuitry		●	●			6.50 lbs.	6	



**PGN Series** Outdoor Emergency Lighting Unit  
 • 120/277 VAC • Wet Location Listed  
 • Wall Mounting • LED Light Engine

**3S SCHEDULED STOCK SHIPMENTS** Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	CA 03	IL 06	PA 10	SC 07	TX 04	Wt. each	Ctn. Qty	Price
PGNW	PGNW	782520862589	LED Emergency/Normally On Lighting Unit, White Housing, Wet Location	●			●		6.00 lbs.	6	
PGNZ	PGNZ	782520862602	LED Emergency/Normally On Lighting Unit, Dark Bronze Housing, Wet Location	●	●		●		6.00 lbs.	6	
PGNP	PGNP	782520862596	LED Emergency/Normally On Lighting Unit, Silver Housing, Wet Location	●			●		6.00 lbs.	6	
PGNB	PGNB	782520862572	LED Emergency/Normally On Lighting Unit, Black Housing, Wet Location	●			●		6.00 lbs.	6	



### PGF1 Series High Performance LED Sconce

- 120/277 VAC
- LED Light Engine
- Wet Location Listed
- Wall Mounting
- Optional Photo-cell (120VAC)



## Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	CA 03	IL 06	PA 10	SC 07	TX 04	Wt. each	Ctn. Qty	Price
93037696	PGF1Z	782520866082	LED Based Sconce, UL1598 Wet Location, Dark Bronze	•			•		6.00 lbs.	6	
93037700	PGF1Z-PC1	782520866099	LED Based Sconce, UL1598 Wet Location, Dark Bronze, with 120VAC Photo-cell	•			•		6.00 lbs.	6	
93037695	PGF1P	782520866105	LED Based Sconce, UL1598 Wet Location, Platinum Silver	•			•		6.00 lbs.	6	
93037699	PGF1P-PC1	782520866112	LED Based Sconce, UL1598 Wet Location, Platinum Silver, with 120VAC Photo-cell	•			•		6.00 lbs.	6	




### EV Series • Dual Voltage • 120/277 VAC • Wall or Ceiling Mounting



## Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	CA 03	IL 06	PA 10	SC 07	TX 04	Wt. each	Ctn. Qty	Price
93036776	EV2	782520865405	2 head white LED Emergency Unit	•	•	•	•	•	2.00 lbs.	12	
93036777	EV2D	782520865412	2 head white LED Emergency Unit, Damp Listed	•			•		2.00 lbs.	12	
93036778	EV2DI	782520865429	2 head wht. LED with Spectron® Self-Diag., Damp Listed	•	•		•		2.00 lbs.	12	
93036783	EV4D	782520865474	2 head wht. LED, Remote Capacity, Damp Listed	•			•		2.00 lbs.	12	
93036784	EV4DI	782520865481	2 head LED, Remote Capacity, Spectron® Self-Diag., Damp	•			•		2.00 lbs.	12	
93036780	EV2DB	782520865443	2 head black LED Emergency Unit, Damp Listed	•	•		•		2.00 lbs.	12	
93036786	EV4DB	782520865504	2 head black LED, Remote Capacity, Damp Listed	•					2.00 lbs.	12	
93036779	EV2DI-24K	782520865436	2 head wht. LED, Spectron® Self-Diag., Damp, 220-240VAC	•			•		2.00 lbs.	12	



### Ridgeline Series Outdoor Emergency Light

- UL924
- 120/277 VAC
- Wet Location Listed
- Wall and Ceiling Mounting



## Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	CA 03	IL 06	PA 10	SC 07	TX 04	Wt. each	Ctn. Qty	Price
NRG304BE	NRG304BE	782520862145	Outdoor Emergency Perimeter Wall-Pack	•			•		10 lbs.	6	
WGC42FE	WGC42FE	782520862121	Ceiling Mounted Emergency Light	•					12.5 lbs.	6	
C942FE	C942FE	782520862138	Full-cutoff Emergency Wall-pack	•					11.5 lbs.	6	



## EZ-2™ Series • 120/277VAC

• Surface Mounting



### Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	CA 03	IL 06	PA 10	SC 07	TX 04	Wt. each	Ctn. Qty	Price
EZ-2	EZ-2	782520430023	6V 10.8W, White Housing	•	•	•	•	•	5.00 lbs.	6	
EZ-2-D	EZ-2-D	782520840365	6V 10.8W, White Housing, Damp Listed	•	•		•		6.00 lbs.	6	
EZ-2-V	EZ-2-V	782520837495	6V 10.8W, White Housing, With Voltmeter			•			5.20 lbs.	6	
EZ-2I	EZ-2I	782520837501	6V 14.4W, White Housing, Spectron® Circuitry	•	•	•	•	•	6.00 lbs.	6	



## LZ Series • 120/277 VAC

• 5W MR16 Halogen Lamps



### Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	CA 03	IL 06	PA 10	SC 07	TX 04	Wt. each	Ctn. Qty	Price
LZ2	LZ2	782520836740	6V 10W, White Housing	•	•	•	•	•	5.00 lbs.	6	
LZ2D	LZ2D	782520836788	6V 10W, White Housing, Damp Listed	•			•		5.00 lbs.	6	
LZ15	LZ15	782520852450	6V 15W, White Housing, Remote Capacity	•	•	•		•	6.00 lbs.	6	
LZ2-V	LZ2-V	782520837280	6V 10W, White Housing, Voltmeter			•			5.00 lbs.	6	
LZ2-B	LZ2-B	782520837280	6V 10W, Black Housing	•	•		•		5.00 lbs.	6	
LZ2DI	LZ2DI	782520849436	6V 10W, White Housing, Damp Listed, Spectron® Circuitry	•	•		•		5.00 lbs.	6	
LZ20N	LZ20N	782520837983	6V 20W, NiCad Battery, White Housing	•			•		7.00 lbs.	4	
LZ25N-12V	LZ25N-12V	782520837990	12V 25W, NiCad Battery, White Housing	•					7.50 lbs.	4	
LZ30	LZ30	782520837907	6V 30W, White Housing	•	•	•	•		8.40 lbs.	4	
LZ30-10W	LZ30-10W	782520851361	6V 30W, White Housing, Optional 10W Halogen Lamps	•	•				8.40 lbs.	4	
LZ30I	LZ30I	782520840419	6V 30W, White Housing, Spectron® Circuitry	•			•		8.40 lbs.	4	
LZ35-12V	LZ35-12V	782520837921	12V 35W, White Housing	•	•	•			9.40 lbs.	4	
LZ65	LZ65	782520837914	6V 65W, White Housing				•		12.80 lbs.	4	
LZ65-12V	LZ65-12V	782520837938	12V 65W, White Housing	•			•		12.80 lbs.	4	



**CV Series** • 120/277 VAC • Twin Head  
• Designer Styling

**3S SCHEDULED STOCK SHIPMENTS** Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	CA 03	IL 06	PA 10	SC 07	TX 04	Wt. each	Ctn. Qty	Price
CV2	CV2	782520859381	6V 12W, White Housing	•			•		5.00 lbs.	6	
CV2-B	CV2-B	782520860547	6V 12W, Black Housing				•		5.00 lbs.	6	
CV2I	CV2I	782520860554	6V, 12W, White Housing, Spectron® Circuitry	•			•		5.00 lbs.	6	
CV2D	CV2D	782520859411	6V 11W, White Housing, Damp Location Listed				•		5.00 lbs.	6	
CV3	CV3	782520859398	6V 18W, White Housing	•			•		6.20 lbs	6	
CV5	CV5	782520859404	6V 30W, White Housing	•			•		7.75 lbs.	6	
CV5I	CV5I	782520860639	6V 30W, White Housing, Spectron® Circuitry	•					7.75 lbs.	6	



**T-Grid Series** • 120/277 VAC  
• Recessed Emergency Light

**3S SCHEDULED STOCK SHIPMENTS** Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	CA 03	IL 06	PA 10	SC 07	TX 04	Wt. each	Ctn. Qty	Price
TG15	TG15	782520852269	6V 15W, White (No Remote Capacity)	•					12.40 lbs.	1	
TG30	TG30	782520852290	6V 30W, White, Remote Capacity	•					13.58 lbs.	1	
TG50-12V	TG50-12V	782520852320	12V 50W, White, Remote Capacity	•					13.58 lbs.	1	



**EZ-2R Series** • 120/277 VAC  
• Recessed Mounting

**3S SCHEDULED STOCK SHIPMENTS** Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	CA 03	IL 06	PA 10	SC 07	TX 04	Wt. each	Ctn. Qty	Price
EZ-2R	EZ-2R	782520812065	6V 10.8W, Beige Housing	•	•	•	•		7.00 lbs.	7	
EZ-2RI	EZ-2RI	782520851422	6V 14.4W, Beige Housing, Spectron® Circuitry	•	•				7.00 lbs.	7	
F-CBM	F-CBM	782520812072	Troffer Mounting Kit				•		0.50 lbs.	1	



**CVEC Series** • 120/277 VAC • Twin Head  
• Remote Capacity



**Regional Distribution Center Stock List**

Part Number	Catalog Number	UPC Code	Description	CA 03	IL 06	PA 10	SC 07	TX 04	Wt. each	Ctn. Qty	Price
CVEC15	CVEC15	782520859466	6V 15W, White Housing	•			•		6.60 lbs.	1	
CVEC30	CVEC30	782520859473	6V 30W, White Housing	•			•		8.20 lbs.	1	
CVEC50	CVEC50	782520859480	6V 50W, White Housing	•			•		17.05 lbs.	1	
CVEC50-12V	CVEC50-12V	782520859497	12V 50W, White Housing	•			•		17.50 lbs.	1	
CVEC100-12V	CVEC100-12V	782520859503	12V 10W, White Housing	•					28.30 lbs.	1	



**LM Series** • 120/277 VAC • Remote Capacity  
• Metal Housing & Cover



**Regional Distribution Center Stock List**

Part Number	Catalog Number	UPC Code	Description	CA 03	IL 06	PA 10	SC 07	TX 04	Wt. each	Ctn. Qty	Price
LM2	LM2	782520843724	6V 14.4W, White (No Remote Capacity)	•	•	•	•		9.01 lbs.	1	
LM16	LM16	782520843731	6V 16W, White (No Remote Capacity)	•	•	•			9.10 lbs.	1	
LM16I	LM16I	782520851651	6V 16W, White (No Remote Capacity), Spectron® Circuitry	•			•		9.10 lbs.	1	
LM24CH	LM24CH	782520844288	6V 24W, Chicago Approved, White		•				10.00 lbs.	1	
LM36CH	LM36CH	782520844295	6V, 36W, Chicago Approved, White		•				11.6 lbs	1	
LM33	LM33	782520843748	6V 33W, White	•	•	•	•	•	11.30 lbs.	1	
LM33I	LM33I	782520851705	6V 33W, White, Spectron® Circuitry	•					11.30 lbs.	1	
LM40	LM40	782520843755	6V 40W, White	•			•		12.40 lbs.	1	
LM40-12V	LM40-12V	782520843816	12V 40W, White	•			•		12.40 lbs.	1	
LM66	LM66	782520843779	6V 66W, White	•		•			19.10 lbs.	1	
LM66-V	LM66-V	782520843779	6V 66W, White with Volt-Meter			•			19.10 lbs.	1	
LM66I	LM66I	782520851866	6V 66W, White, Spectron® Circuitry				•		19.01 lbs.	1	
LM66-12V	LM66-12V	782520843830	12V 66W, White	•		•			19.10 lbs.	1	
LM80	LM80	782520843786	6V 80W, White				•		22.00 lbs.	1	
LM80-12V	LM80-12V	782520843847	12V 80W, White	•					21.70 lbs.	1	
LM130	LM130	782520843809	6V 130W, White	•					28.60 lbs.	1	
LM130-12V	LM130-12V	782520843861	12V 130W, White	•			•		28.40 lbs.	1	

Distribution Locations= **CA03:** Ontario, California; **IL06:** Chicago Illinois; **PA10:** Bristol, Pennsylvania; **SC07:** Spartanburg, South Carolina; **TX04:** Dallas, Texas



**LiteScape® Series** • 120/277 VAC  
• 10W Halogen Lamps



**Regional Distribution Center Stock List**

Part Number	Catalog Number	UPC Code	Description	CA 03	IL 06	PA 10	SC 07	TX 04	Wt. each	Ctn. Qty	Price
LSC	LSC	782520855673	6V 20W, White Housing	●	●		●		6.00 lbs.	4	
LSCI	LSCI	782520855680	6V 20W, White Housing, Spectron® Circuitry	●			●		6.00 lbs.	4	
LSCN	LSCN	782520855697	6V 20W, NiCad Battery, White Housing	●					6.00 lbs.	4	




**N4X Series** • 120/277 VAC  
• For Harsh Environments



**Regional Distribution Center Stock List**

Part Number	Catalog Number	UPC Code	Description	CA 03	IL 06	PA 10	SC 07	TX 04	Wt. each	Ctn. Qty	Price
N4X2	N4X2	782520364007	6V 15W, Black Housing	●			●		9.00 lbs.	1	
N4X2I	N4X2I	782520830403	6V 15W, Black Housing, Spectron® Circuitry	●			●		12.00 lbs.	1	
N4X4	N4X4	782520364106	6V 31W, Black Housing				●		12.00 lbs.	1	
N4X7	N4X7	782520364205	6V 50W, Black Housing				●		14.00 lbs.	1	
N4X7-12V	N4X7-12V	782520364403	12V 50W, Black Housing	●			●		14.00 lbs.	1	
N4X7-12VI	N4X7-12VI	782520852566	12V 50W, Black Housing, Spectron® Circuitry				●		14.00 lbs.	1	
N4X14-12V	N4X14-12V	782520822019	12V 100W, Black Housing				●		21.10 lbs.	1	
N4X14-12VI	N4X14-12VI	782520852559	12V 100W, Black Housing, Spectron® Circuitry				●		21.10 lbs.	1	



# Lampak® Series • 120/277 VAC

• Powers Standard Lamps



## Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	CA 03	IL 06	PA 10	SC 07	TX 04	Wt. each	Ctn. Qty	Price
93039236	UFO-RP1	782520866174	500 Initial Lumens, Operates (1)T8, T10, or T12 Lamp, Ni-Cad Battery, 120/277VAC	●			●		1.7 lbs.	1	
93039241	UFO-RP2	782520866181	700 Initial Lumens, Operates (1 or 2)T5, T5HO, T8, T10, or T12 Lamp, Ni-Cad Battery, 120/277VAC	●			●		2.7 lbs	1	
93039246	UFO-RP3	782520866198	1400 Initial Lumens, Operates (1 or 2)T5, T5HO, T8, T10, or T12 Lamp, Ni-Cad Battery, 120/277VAC	●			●		3.3 lbs	1	
UFO-LP1	UFO-LP1	782520856168	Low Profile for linear or long fluorescent lamp T5, T8(Powers 1 Lamp) 750 lumen output				●		3.4 lbs.	1	
UFO-LP2	UFO-LP2	782520856175	Low Profile for linear or long fluorescent lamp T5, T8(Powers 1 Lamp) 1250 lumen output				●		3.4 lbs.	1	
UFO-3AW	UFO-3AW	782520836320	350-450 Lumens (Powers 1 Lamp)	●	●	●	●	●	2.00 lbs.	1	
UFO-4W	UFO-4W	782520821470	500-600 Lumens (Powers 1 Lamp)	●		●	●		2.50 lbs.	1	
UFO-5W	UFO-5W	782520830007	600-700 Lumens (Powers 1 Lamp)	●			●		3.00 lbs.	1	
UFO-5AW	UFO-5AW	782520840853	600-700 Lumens (Powers 1 or 2 Lamps)				●		3.00 lbs.	1	
UFO-6W	UFO-6W	782520830014	1100-1400 Lumens (Powers 1 or 2 Lamps)	●			●	●	3.50 lbs.	1	
UFO-6W-CLD	UFO-6W-CLD	782520856144	1100-1400 Lumens (Powers 1 or 2 Lamps) -20C to 55C Cold Temp.				●		3.50 lbs.	1	
UFO-6WI	UFO-6WI	782520856212	1100-1400 Lumens (Powers 1 or 2 Lamps), Spectron® Circuitry				●		3.60 lbs.	1	
UFO-7W	UFO-7W	782520856151	1450-3500 Lumens (Powers 1 or 2 Lamps)				●		8.80 lbs.	1	
UFO-7WI	UFO-7WI	782520856229	1800-3500 Lumens (Powers 1 or 2 Lamps), Spectron® Circuitry				●		8.80 lbs.	1	
F-WC	F-WC	782520834425	Wire Bundle Cover (UFO-3AW through 6W only)				●		0.20 lbs.	1	



**UFO-CF Series** • 120/277 VAC  
• Powers Compact Lamps

**3 SCHEDULED STOCK SHIPMENTS** Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	CA 03	IL 06	PA 10	SC 07	TX 04	Wt. each	Ctn. Qty	Price
UFO-CF1	UFO-CF1	782520863982	300-750 Lumens (Powers 1 Lamp)	●			●		3.00 lbs	10	
UFO-CF2	UFO-CF2	782520863999	700-1100 Lumens (Powers 1 Lamp)				●		4.30 lbs	10	
UFO-CF2-CLD	UFO-CF2-CLD	782520864002	700-1100 Lumens (Powers 1 Lamp) -20C to 55C Cold Temp.				●		3.60 lbs.	10	



**UFO-PSMH Series** • 120/277 VAC  
• Metal Halide Battery Packs

**3 SCHEDULED STOCK SHIPMENTS** Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	CA 03	IL 06	PA 10	SC 07	TX 04	Wt. each	Ctn. Qty	Price
UFO-PSMH175	UFO-PSMH175	782520862756	Powers (1) 100-175 watt Pulse Start Metal Halide lamp				●		6.5 lbs	5	
UFO-PSMH400	UFO-PSMH400	782520862763	Powers (1) 200-250 watt Pulse Start Metal Halide lamp				●		6.5 lbs.	5	



**UFO-LED Series** • 120/277 VAC Inverter Output for 25 W/VA LED Luminaires

**3 SCHEDULED STOCK SHIPMENTS** Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	CA 03	IL 06	PA 10	SC 07	TX 04	Wt. each	Ctn. Qty	Price
93046793	UFO-LED20	782520866501	Powers up to 25 VA/W of LED luminaires with full lumen output			●	●		7.4 lbs	6	



**LiteGear® Series** • Input/Output 120/277 VAC or 277/277 VAC  
• Single Phase System  
• Interruption Emergency Power Supply

**3 SCHEDULED STOCK SHIPMENTS** Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	CA 03	IL 06	PA 10	SC 07	TX 04	Wt. each	Ctn. Qty	Price
LG1S	LG1S	782520862008	Wall surface mount, white finish	●			●		43.00 lbs	1	
LG1T	LG1T	782520862015	Recessed T-grid ceiling mount, white finish	●			●		41.00 lbs	1	
LG1R	LG1R	782520861995	Wall recessed mount, white finish	●			●		43.00 lbs	1	
93031771	LG2S	782520865313	Wall surface mount, white finish				●		78.00 lbs	1	
93031772	LG2SI	782520865368	250 VA/W Wall surface mount, white finish with Spectron®				●		78.00 lbs	1	

Distribution Locations= **CA03**: Ontario, California; **IL06**: Chicago Illinois; **PA10**: Bristol, Pennsylvania; **SC07**: Spartanburg, South Carolina; **TX04**: Dallas, Texas





**ATSD Series**

- Auxiliary Transfer Switch
- Allows egress lighting on emergency circuits on generators or inverters to be switched on/off locally

**35 SCHEDULED STOCK SHIPMENTS** Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	CA 03	IL 06	PA 10	SC 07	TX 04	Wt. each	Ctn. Qty	Price
ATSD	ATSD	782520856243	Luminaire mount 3 Amp capacity auxillary transfer switch				•		0.80 lbs	1	
ATSD20	ATSD20	782520863494	Wall mount 20 Amp capacity auxillary transfer switch				•		5.00 lbs	6	



**EVE Series**

- 120/277 VAC AC Only
- Thermoplastic Housing
- AC Only
- LED
- Damp Location Listed
- Nickel Metal Hydride

**35 SCHEDULED STOCK SHIPMENTS** Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	CA 03	IL 06	PA 10	SC 07	TX 04	Wt. each	Ctn. Qty	Price
93048320	EVEURW	782520866662	Standard AC Exit, red letters, white housing	•	•	•	•	•	2.50 lbs.	12	
93048321	EVEURWE	782520866679	Standard Emer. Exit, red letters, white housing	•	•	•	•	•	2.50 lbs.	12	
93048322	EVEURWEI	782520866686	Standard Emer. Exit with SD, red letters, white housing	•	•	•	•	•	2.50 lbs.	12	
93048323	EVEUGW	782520866730	Standard AC Exit, green letters, white housing	•		•			2.50 lbs.	12	
93048324	EVEUGWE	782520866747	Standard Emer. Exit, green letters, white housing	•		•			2.50 lbs.	12	
93048325	EVEUGWEI	782520866754	Standard Emer. Exit with SD, green letters, white housing	•		•			2.50 lbs.	12	
93048326	EVEURB	782520866716	Standard AC Exit, red letters, black housing	•			•		2.50 lbs.	12	
93048327	EVEURBE	782520866723	Standard Emer. Exit, red letters, black housing	•	•	•	•		2.50 lbs.	12	
93049532	EVEUGBE	782520866761	Standard Emer. Exit, green letters, black housing	•			•		2.50 lbs.	12	
93049531	EVEURW-2C	782520866709	Standard AC Exit, red letters, white housing, 2-circuit	•			•		2.50 lbs.	12	



**EVC Series** • 120/277 VAC  
 • Thermoplastic Housing  
 • Fully Adjustable LED Lamphood

• High Output LED  
 • White or Black Finish  
 • Ceiling, Wall or End Mount



## Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	CA 03	IL 06	PA 10	SC 07	TX 04	Wt. each	Ctn. Qty	Price
93041415	EVCURW	782520866372	Red Letters, White Housing	•	•	•	•	•	3.65 lbs.	12	
93041416	EVCUGW	782520866389	Green Letters, White Housing	•	•		•		3.65 lbs.	12	
93041418	EVCURWD	782520866396	Red Letters, White Housing, Damp Listed	•			•		3.65 lbs.	12	
93041421	EVCURWD4	782520866402	Red Letters, White Hsg, Damp, Remote Capacity	•	•	•	•		3.65 lbs.	12	
93041422	EVCUGWD4	782520866419	Green Letters, White Hsg, Damp, Remote Capacity	•					3.65 lbs.	12	
93041419	EVCURWDI	782520866426	Red Letters, White Hsg, Damp, Spectron	•			•		3.65 lbs.	12	
93041420	EVCUGWDI	782520866433	Green Letters, White Hsg, Damp, Spectron	•					3.65 lbs.	12	
93042770	EVCURWD4I	782520866440	Red Letters, White Hsg, Damp, Remote Cap,Spectron	•			•		3.65 lbs.	12	
93042771	EVCURWD4-0	782520866457	Red Letters, White Hsg, Damp, Remote Cap, no-heads	•			•		3.65 lbs.	12	
93041417	EVCURBD	782520866471	Red Letters, Black Housing, Damp Listed	•			•		3.65 lbs.	12	
93041414	EVCURBD4	782520866488	Red Letters, Black Housing, Damp Listed, Remote Cap.	•					3.65 lbs.	12	



**LX Series** • 120/277 VAC AC Only  
 • Thermoplastic Housing

• LED  
 • Damp Location Listed



## Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	CA 03	IL 06	PA 10	SC 07	TX 04	Wt. each	Ctn. Qty	Price
LXURW	LXURW	782520836375	Red Letters, White Housing, Single/Double Face	•	•	•	•	•	4.00 lbs.	12	
LXURW-2C	LXURW-2C	782520836535	Red Letters, White Housing, Single/Double Face, 2-circuit operation	•			•		5.00 lbs.	12	
LXURB	LXURB	782520836399	Red Letters, Black Housing, Single/Double Face	•			•		4.00 lbs.	12	
LXUGW	LXUGW	782520836412	Green Letters, White Housing, Single/Double Face	•	•				4.00 lbs.	12	
LXUGW-2C	LXUGW-2C	782520836573	Green Letters, White Housing, Single/Double Face, 2-circuit operation	•					4.50 lbs.	12	
PMLXW	PMLXW	782520837884	Pendant mounting kit, 12.5", White				•		2.00 lbs.	1	
FX2-E	FX2-E	782520841140	AC to Emergency Field Conversion Kit For Red Letter AC Signs				•		0.50 lbs.	12	



## Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	CA 03	IL 06	PA 10	SC 07	TX 04	Wt. each	Ctn. Qty	Price
LXURWE	LXURWE	782520836450	Red Letters, White Housing, Single/Double Face	•	•	•	•	•	4.20 lbs.	12	
LXURWEI	LXURWEI	782520849603	Red Letters, White Housing, Single/Double Face, Spectron® Circuitry	•	•	•	•	•	4.20 lbs.	12	
LXURBE	LXURBE	782520836474	Red Letters, Black Housing, Single/Double Face	•	•	•	•		4.50 lbs.	12	
LXUGWE	LXUGWE	782520836498	Green Letters, White Housing, Single/Double Face	•	•			•	4.50 lbs.	12	
LXUGWEI	LXUGWEI	782520851453	Green Letters, White Housing, Single/Double Face, Spectron® Circuitry	•	•				4.50 lbs.	12	
LXUGBE	LXUGBE	782520836511	Green Letters, Black Housing, Single/Double Face	•			•		4.50 lbs.	12	
PMLXW	PMLXW	782520837884	Pendant mounting kit, 12.5", White				•		2.00 lbs.	1	



**LT Tandem Series** • 120/277 VAC • Thermoplastic Housing  
• Emergency Unit Plus LED Exit Sign



## Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	CA 03	IL 06	PA 10	SC 07	TX 04	Wt. each	Ctn. Qty	Price
LTURW	LTURW	782520837181	Red Letters, White Housing, Single/Double Face	•	•	•	•	•	9.20 lbs.	4	
LTURWD	LTURWD	782520837112	Red Letters, White Housing, Single/Double Face, Damp Location Listed				•		9.80 lbs.	4	
LTURWDI	LTURWDI	782520851446	Red Letters, White Housing, Single/Double Face, Damp Location Listed, Spectron® Circuitry	•			•		9.80 lbs.	4	
LTURW3	LTURW3	782520837075	Red Letters, White Housing, Single/Double Face, Remote Capacity	•	•	•	•		9.50 lbs.	4	
LTURW3-0	LTURW3-0	782520849184	Red Letters, White Housing, Single/Double Face, Remote Capacity, No Lighting Heads		•		•		9.50 lbs.		
LTURB	LTURB	782520837198	Red Letters, Black Housing, Single/Double Face	•			•		9.20 lbs.	4	
LTUGW	LTUGW	782520837174	Green Letters, White Housing, Single/Double Face	•	•		•		9.20 lbs.	4	



## HCX Combination Series

- 120/277 VAC
- Thermoplastic Housing
- Emergency Unit Plus LED Exit Sign
- Halogen Emergency Lamps



### Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	CA 03	IL 06	PA 10	SC 07	TX 04	Wt. each	Ctn. Qty	Price
HCXURW	HCXURW	782520860462	White Housing, Red Letters	•	•	•	•	•	8.10 lbs.	6	
HCXUGW	HCXUGW	782520860479	White Housing, Green Letters	•	•				8.10 lbs.	6	
HCXURB	HCXURB	782520861193	Red Letters, Black Housing	•					8.10 lbs.	6	
HCXURWRC12	HCXURWRC12	782520861216	White Housing, Red Letters, Remote Capacity	•	•		•		9.70 lbs.	6	
HCXUGWRC12	HCXUGWRC12	782520861223	White Housing, Green Letters, Remote Capacity	•					9.70 lbs.	6	
HCXURW-0-RC12	HCXURW-0-RC12	782520862022	White Housing, Red Letters, No Heads, 23W Remote Capacity	•	•		•		9.00 lbs.	6	
HCXUGW-0-RC12	HCXUGW-0-RC12	782520862039	White Housing, Green Letters, No Heads, 23W Remote Capacity	•			•		9.00 lbs.	6	



## Sempra SE Series

- 120/277 VAC
- Cast Aluminum Housing
- LED



### Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	CA 03	IL 06	PA 10	SC 07	TX 04	Wt. each	Ctn. Qty	Price
SESRWV11	SESRW	782520865184	Red Letters, White Housing, Single Face	•	•		•		6.00 lbs.	6	
SESRW-VTRV11	SESRW-VTR	782520865245	Red Letters, White Housing, Single Face with Vandal/Tamper-resistant Option	•					6.00 lbs.	6	
SESRWNV11	SESRWN	782520865214	Red Letters, White Housing, Brushed Aluminum Stencil, Single Face	•					6.00 lbs.	6	
SESRBV11	SESRB	782520865122	Red Letters, Black Housing, Single Face	•					6.00 lbs.	6	
SEDRWV11	SEDRW	782520864460	Red Letters, White Housing, Double Face	•			•		6.00 lbs.	6	
SEDRBV11	SEDRB	782520864408	Red Letters, White Housing, Double Face	•					6.00 lbs.	6	
SEDRWNV11	SEDRWN	782520864491	Red Letters, White Housing, Brushed Aluminum Stencil, Double Face	•					6.00 lbs.	6	
SESRBNV11	SESRBN	782520865153	Red Letters, Black Housing, Brushed Aluminum Stencil, Single Face	•	•	•	•		6.00 lbs.	6	
SEDRBNV11	SEDRBN	782520864439	Red Letters, Black Housing, Brushed Aluminum Stencil, Double Face	•					6.00 lbs.	6	
SESGWV11	SESGW	782520865061	Green Letters, White Housing, Single Face	•			•	•	6.00 lbs.	6	
SESGWNV11	SESGWN	782520865092	Green Letters, White Housing, Brushed Aluminum Stencil, Single Face	•					6.00 lbs.	6	



# 3 SCHEDULED STOCK SHIPMENTS Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	CA 03	IL 06	PA 10	SC 07	TX 04	Wt. each	Ctn. Qty	Price
SESGBNV11	SESGBN	782520865030	Green Letters, Black Housing, Brushed Aluminum Stencil, Single Face	●			●		6.00 lbs.	6	
SESGBV11	SESGB	782520865009	Green Letters, Black Housing, Single Face	●					6.00 lbs.	6	
SEDGBNV11	SEDGBN	782520864316	Green Letters, Black Housing, Brushed Aluminum Stencil, Double Face	●			●		6.00 lbs.	6	
SESRWEV11	SESRWE	782520865196	Red Letters, White Housing, Single Face	●	●	●	●	●	6.00 lbs.	6	
SESRWEIV11	SESRWEI	782520865207	Red Letters, White Housing, Spectron® Circuitry, Single Face	●			●		6.00 lbs.	6	
SESRWE-VTRV11	SESRWE-VTR	782520865269	Red Letters, White Housing, Single Face	●					6.00 lbs.	6	
SESRWEI-VTRV11	SESRWEI-VTR	782520865283	Red Letters, White Housing, Spectron® Circuitry, Single Face	●					6.00 lbs.	6	
SESRWNEIV11	SESRWNEI	782520865238	Red Letters, White Housing, Brushed Aluminum Stencil, Spectron® Circuitry, Single Face	●					6.00 lbs.	6	
SESRWNEV11	SESRWNE	782520865221	Red Letters, White Housing, Brushed Aluminum Stencil, Single Face	●			●		6.00 lbs.	6	
SEDRWEV11	SEDRWE	782520864477	Red Letters, White Housing, Double Face	●			●	●	6.00 lbs.	6	
SEDRWEIV11	SEDRWEI	782520864484	Red Letters, White Housing, Double Face, Spectron® Circuitry	●			●		6.00 lbs.	6	
SEDRWNEV11	SEDRWNE	782520864507	Red Letters, White Housing, Brushed Aluminum Stencil, Double Face				●		6.00 lbs.	6	
SESRBEV11	SESRBE	782520865139	Red Letters, Black Housing, Single Face	●			●		6.00 lbs.	6	
SEDRBEV11	SEDRBE	782520864415	Red Letters, Black Housing, Double Face				●		6.00 lbs.	6	
SESRBNEV11	SESRBNE	782520865160	Red Letters, Black Housing, Brushed Aluminum Stencil, Single Face	●	●	●	●	●	6.00 lbs.	6	
SESRBNE-VTRV11	SESRBNE-VTR	782520865252	Red Letters, Black Housing, Brushed Aluminum Stencil, Single Face with Vandal/Tamper-resistant Option	●					6.00 lbs.	6	
SESRBNEIV11	SESRBNEI	782520865177	Red Letters, Black Housing, Brushed Aluminum Stencil, Single Face, Spectron® Circuitry	●			●		6.00 lbs.	6	
SEDRBNEV11	SEDRBNE	782520864446	Red Letters, Black Housing, Brushed Aluminum Stencil, Double Face	●			●		6.00 lbs.	6	
SEDRBNEIV11	SEDRBNEI	782520864453	Red Letters, Black Housing, Brushed Aluminum Stencil, Double Face, Spectron® Circuitry	●					6.00 lbs.	6	
SESGWEV11	SESGWE	782520865078	Green Letters, White Housing, Single Face	●					6.00 lbs.	6	
SESGWEIV11	SESGWEI	782520865058	Green Letters, White Housing, Single Face Spectron® Circuitry	●					6.00 lbs.	6	



**35 SCHEDULED STOCK SHIPMENTS** Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	CA 03	IL 06	PA 10	SC 07	TX 04	Wt. each	Ctn. Qty	Price
SESGWE-VTRV11	SESGWE-VTR	782520865276	Green Letters, White Housing, Single Face with Vandal/Tamper-resistant Option	●					6.00 lbs.	6	
SEDGWV11	SEDGW	782520864347	Green Letters, White Housing, Single Face	●					6.00 lbs.	6	
SEDGWEV11	SEDGWE	782520864354	Green Letters, White Housing, Double Face	●					6.00 lbs.	6	
SEDGWEIV11	SEDGWEI	782520864361	Green Letters, White Housing, Double Face Spectron® Circuitry	●					6.00 lbs.	6	
SESGBNEV11	SESGBNE	782520865047	Green Letters, Black Housing, Brushed Aluminum Stencil, Single Face	●					6.00 lbs.	6	
SESGBNEIV11	SESGBNEI	782520865054	Green Letters, Black Housing, Brushed Aluminum Stencil, Double Face, Spectron® Circuitry	●					6.00 lbs.	6	
SESGBNEV11	SESGBNE	782520864323	Green Letters, Black Housing, Brushed Aluminum Stencil, Double Face				●		6.00 lbs.	6	



**SEWL Series**

- 120/277 VAC
- Emergency Use
- Spectron
- Heater

- Cast Aluminum Housing
- Wet Location Listed
- Vandal/Tamper Resistant

**35 SCHEDULED STOCK SHIPMENTS** Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	CA 03	IL 06	PA 10	SC 07	TX 04	Wt. each	Ctn. Qty	Price
SEWLDGWE	SEWLDGWE	782520862398	Green Letters, White Housing, Double Face	●					13.1 lbs.	5	
SEWLSGWE	SEWLSGWE	782520862350	Green Letters, White Housing, Single Face	●					13.1 lbs.	5	
SEWLDLDRWE	SEWLDLDRWE	782520862381	Red Letters, White Housing, Double Face	●					13.1 lbs.	5	
SEWLSRWE	SEWLSRWE	782520862343	Red Letters, White Housing, Single Face	●			●		13.1 lbs.	5	
SEWLDGBE	SEWLDGBE	782520862374	Green Letters, Black Housing, Double Face	●					13.1 lbs.	5	
SEWLSGBE	SEWLSGBE	782520862336	Green Letters, Black Housing, Single Face	●					13.1 lbs.	5	
SEWLDLDRBE	SEWLDLDRBE	782520862367	Red Letters, Black Housing, Double Face	●					13.1 lbs.	5	
SEWLSRBE	SEWLSRBE	782520862329	Red Letters, Black Housing, Single Face	●			●		13.1 lbs.	5	



### 10-Day Quick Ship Ordering Guide


Order Limit Per Fixture Selection: 20

SEWL					
MODEL	FACES	LETTER COLOR	HOUSING COLOR	OPERATION	OPTIONS
	S Single D Double	R R G Green	W White B Black	Blank AC Only E Emergency	-HTR Internal Heater <sup>1</sup> -4X NEMA 4X, IP66 rating <sup>2</sup>

Ordering Notes:

1For use with emergency models only

2Heater comes standard with -4X option on emergency models



### Sempra Series

- Accessory Item for SERS Series
- Recessed Mount Cast Aluminum
- Exit Sign Only



### Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	CA 03	IL 06	PA 10	SC 07	TX 04	Wt. each	Ctn. Qty	Price
RBB	RBB	782520849856	Rough-In Back Box Kit				•		2.70 lbs	1	



### LE Series

- Accessory Item for Recessed Mount
- Edge Lit LED Exit Sign Models Only



### Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	CA 03	IL 06	PA 10	SC 07	TX 04	Wt. each	Ctn. Qty	Price
URK	URK	782520843267	Universal Rough-in Kit	•	•	•	•	•	3.80 lbs.	1	



**LE Series** • Recessed Mounting Edge-Lit LED Exit Sign  
• AC or Emergency • Single/Double Faced

**QS 5** 5-Day Quick Ship Ordering Guide  
Order Limit Per Fixture Selection: 10

<p><b>LE</b></p> <p><b>MODEL</b></p>	<p><b>FACES</b></p> <p>S Single D Double*</p> <p>* Not for use with wall mounted models</p>	<p><b>DIRECTIONAL ARROWS</b></p> <p>X No arrows EXIT R Right arrow* L Left arrow* D Double arrows C L/R arrows**</p> <p>* Not for use with double face models. Use "C" L/R arrow designator ** Double face models only. Provides reversible right or left arrow indicator.</p>	<p><b>TRIM/HOUSING FINISH</b></p> <p>N Satin Aluminum</p>	<p><b>SELF-DIAGNOSTIC</b></p> <p>Blank None I Spectron self-testing/self-diagnostic electronics*</p> <p>* For use with emergency models only</p>
<p><b>MOUNTING</b></p> <p>C Ceiling mount W Wall mount</p>	<p><b>LETTER COLOR</b></p> <p>R Red G Green</p>	<p><b>OPERATION</b></p> <p>A AC only E Emergency</p>	<p><b>OPTIONS</b></p> <p>-W White plaque background -M Mirror-plaque background*</p> <p>* For use with single face models only. Standard on double face models.</p>	



**LE Series** • Recessed Mounting Edge-Lit LED Exit Sign  
• AC or Emergency • Single/Double Faced

**QS 10** 10-Day Quick Ship Ordering Guide  
Order Limit Per Fixture Selection: 30

<p><b>LE</b></p> <p><b>MODEL</b></p>	<p><b>FACES</b></p> <p>S Single D Double*</p> <p>* Not for use with wall mounted models</p>	<p><b>DIRECTIONAL ARROWS</b></p> <p>X No arrows EXIT R Right arrow* L Left arrow* D Double arrows C L/R arrows**</p> <p>* Not for use with double face models. Use "C" L/R arrow designator ** Double face models only. Provides reversible right or left arrow indicator.</p>	<p><b>TRIM/HOUSING FINISH</b></p> <p>N Satin Aluminum W White C Chrome B Black S Satin Brass Z Dark Bronze</p>	<p><b>SELF-DIAGNOSTIC</b></p> <p>Blank None I Spectron self-testing/self-diagnostic electronics*</p> <p>* For use with emergency models only</p>
<p><b>MOUNTING</b></p> <p>C Ceiling mount W Wall mount E End Mount</p>	<p><b>LETTER COLOR</b></p> <p>R Red G Green</p>	<p><b>OPERATION</b></p> <p>A AC only E Emergency</p>	<p><b>OPTIONS</b></p> <p>-2C 2-circuit operation <sup>2,5</sup> -FAP Fire alarm panel interface <sup>3,5,6</sup> -FM Flasher module <sup>1,6</sup> -AF Audible flasher module <sup>1,6</sup> -DC Remote DC operation <sup>2,4,5</sup> -24K 220-240VAC, 60Hz. operation <sup>9</sup> -XK Recessed mount exit sign less rough-in kit <sup>7,9</sup> -W White plaque background -M Mirror-plaque background <sup>8</sup> -8L 8 inch letter plaque (red letters only) <sup>10,11</sup></p>	

**ACCESSORIES (order separately)**

**URK** Universal rough-in kit  
**URK2C** Universal 2-circuit rough-in kit <sup>a,b,c</sup>

<sup>a</sup>For use with AC models only.  
<sup>b</sup>Rough-in kit may not be ordered separately on models specified with -24K option.  
<sup>c</sup>Must be ordered in conjunction with -2C option on exit sign

**To Order Rough-In Kit Separately**  
To order rough-in kit only for field installation, add "-XK" option suffix to exit model number and order "URK" or "URK2C" kit separately.

<sup>1</sup>For use with emergency models only.

<sup>2</sup>For use with AC models only.

<sup>3</sup>Operates with 24-volt AC or DC fire alarm panels.

<sup>4</sup>For emergency illumination of sign from remote 6-24VDC power sources.

<sup>5</sup>-DC option may not be specified with -2C or -FAP options.

<sup>6</sup>-AF, -FM and -FAP options may not be specified together.

<sup>7</sup>Allows ordering of rough-in kit separately for recessed mount (LE) models.

See "Accessories".

<sup>8</sup>For use with single face models only. Standard on double face models.

<sup>9</sup>Rough-in kit may not be ordered separately on models specified with -24K option.

<sup>10</sup>LE exit models with 8" plaques registered under NY-BEC Calendar number 42135 for use in New York City.

<sup>11</sup>Single face LE exit signs specified with the -8L option are supplied without backgrounds. Double face models specified with the -8L option are supplied with mirror backgrounds.





**LES Series** • Surface Mounting Edge-Lit LED Exit Sign  
 • AC or Emergency • Single/Double Faced

**QS 10** 10-Day Quick Ship Ordering Guide  
 Order Limit Per Fixture Selection: 30

<b>MODEL</b> LES	<b>FACES</b> S Single D Double* * Not for use with wall mounted models	<b>DIRECTIONAL ARROWS</b> X No arrows EXIT R Right arrow* L Left arrow* D Double arrows C L/R arrows** * Not for use with double face models. Use "C" L/R arrow designator ** Double face models only. Provides reversible right or left arrow indicator.	<b>TRIM/HOUSING FINISH</b> N Satin Aluminum W White C Chrome B Black S Satin Brass Z Dark Bronze	<b>SELF-DIAGNOSTIC</b> Blank None I Spectron self-testing/self-diagnostic electronics* * For use with emergency models only
<b>MOUNTING</b> C Ceiling mount W Wall mount E End Mount	<b>LETTER COLOR</b> R Red G Green	<b>OPERATION</b> A AC only	<b>OPTIONS</b> -W White plaque background -M Mirror-plaque background <sup>1</sup> -8L 8 inch letter plaque (red letters only) <sup>2,3</sup>	

<sup>1</sup>For use with single face models only. Standard on double face models.  
<sup>2</sup>LES exit models with 8" plaques registered under NY-BEC Calendar number 42135 for use in New York City.  
<sup>3</sup>Single face LES exit signs specified with the -8L option are supplied without backgrounds. Double face models specified with the -8L option are supplied with mirror backgrounds.



**LN4X Series** • 120/277 VAC  
 • Harsh Environment Use • Wet Location Listed  
 • LED

**3S SCHEDULED STOCK SHIPMENTS** Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	CA 03	IL 06	PA 10	SC 07	TX 04	Wt. each	Ctn. Qty	Price
LN4XRW	LN4XRW	782520837358	Red Letters, White Stencil/Housing, Clear Front Cover, Single Face		•		•		8.80 lbs.	1	
LN4XRWE	LN4XRWE	782520837372	Red Letters, White Stencil/Housing, Clear Front Cover, Single Face				•		9.00 lbs.	1	
LN4XRWEI	LN4XRWEI	782520837396	Red Letters, White Stencil/Housing, Clear Front Cover, Single Face with Spectron® Circuitry		•				9.00 lbs.	1	



**EVR Series** • LED Double Head Remote • Indoor use  
 • Powered by EV4 Emergency Light

**3S SCHEDULED STOCK SHIPMENTS** Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	CA 03	IL 06	PA 10	SC 07	TX 04	Wt. each	Ctn. Qty	Price
EVR2	EVR2	782520865535	Indoor LED Remote, Double Head White Finish	•		•	•		2.00 lbs.	12	
EVR2B	EVR2B	782520865542	12V 5W, White Remote Head	•			•		2.00 lbs.	12	



**EVO Series** • LED Single or Double Head Remote • Outdoor use  
• White or Black Finish • Powered by EV4 Emergency Light

**3 SCHEDULED STOCK SHIPMENTS** Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	CA 03	IL 06	PA 10	SC 07	TX 04	Wt. each	Ctn. Qty	Price
EVOSW	EVOSW	782520866228	Outdoor LED Remote, Single Head White Finish	•	•	•	•	•	0.8 lbs.	12	
EVODW	EVODW	782520866235	Outdoor LED Remote, Double Head White Finish	•	•	•	•	•	1.20 lbs.	12	
EVOSB	EVOSB	782520866242	Outdoor LED Remote, Single Head Black Finish	•	•	•	•	•	0.8 lbs.	12	
EVODB	EVODB	782520866259	Outdoor LED Remote, Double Head Black Finish	•	•	•	•	•	1.20 lbs.	12	



**SRH Series** • Indoor Use • Thermoplastic Housing

**3 SCHEDULED STOCK SHIPMENTS** Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	CA 03	IL 06	PA 10	SC 07	TX 04	Wt. each	Ctn. Qty	Price
SRHSW0607	SRHSW0607	782520857905	6V 7.2W Single Remote Head, White Housing			•			0.90 lbs.	1	
SRHDW0607	SRHDW0607	782520858018	6V 7.2W Double Remote Head, White Housing			•			1.5 lbs.	1	
SRHSW1207	SRHSW1207	782520857967	12V 7.2W Single Remote Head, White Housing			•			0.90 lbs.	1	
SRHDW1207	SRHDW1207	782520858070	12V 7.2W Double Remote Head, White Housing			•			1.5 lbs.	1	
SRHSW1212	SRHSW1212	782520857981	12V 12W Single Remote Head, White Housing			•			0.90 lbs.	1	
SRHDW1212	SRHDW1212	782520858094	12V 12W Double Remote Head, White Housing			•			1.5 lbs.	1	



**CPR Indoor Remote Heads** • MR 16 Halogen Lamp(s)  
• Thermoplastic Housing  
• Supplied With Mounting Plate

**3 SCHEDULED STOCK SHIPMENTS** Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	CA 03	IL 06	PA 10	SC 07	TX 04	Wt. each	Ctn. Qty	Price
CPRSW0605	CPRSW0605	782520861155	Single Remote Head, White, 6V, 5W				•		0.52 lbs.	12	
CPRDW0605	CPRDW0605	782520861162	Twin Remote Heads, White, 6V, 5W				•		1.00 lbs.	12	
CPRSB0605	CPRSB0605	782520861179	Single Remote Head, Black, 6V, 5W				•		0.52 lbs.	12	
CPRDB0605	CPRDB0605	782520861186	Twin Remote Head, Black, 6V, 5W				•		1.00 lbs.	12	



## OMS Series • Outdoor Use • Aluminum Spot



### Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	CA 03	IL 06	PA 10	SC 07	TX 04	Wt. each	Ctn. Qty	Price
OMSSW0605	OMSSW0605	782520856472	6V 5W, Single Indoor/Outdoor White Remote Head		•	•	•		1.15 lbs.	1	
OMSDW0605	OMSDW0605	782520856731	6V 5W, Twin White Remote Heads		•		•		1.50 lbs.	1	
OMSDW0607	OMSDW0607	782520856748	6V 7.2W, Twin White Remote Heads		•				1.50 lbs.	1	
OMSSB0605	OMSSB0605	782520856601	6V 5W, Single Black Outdoor Spot	•	•	•			1.15 lbs	1	
OMSSB0607	OMSSB0607	782520856618	6V 7.2W, Single Black Outdoor Spot	•		•			1.15 lbs	1	
OMSDB0605	OMSDB0605	782520856861	6V 5W, Twin Black Outdoor Spot		•		•		1.50 lbs.		
OMSDB1208	OMSDB1208	782520856953	12V 8W, Double Black Outdoor Spot			•			1.15 lbs	1	
OMSDB1212	OMSDB1212	782520856960	12V 12W, Double Black Outdoor Spot			•			1.15 lbs	1	
OMSDW1208	OMSDW1208	782520856823	12V 8W, Double White Outdoor Spot			•			1.15 lbs	1	
OMSDW1212	OMSDW1212	782520856830	12V 12W, Double White Outdoor Spot			•			1.15 lbs	1	



## GNX Series • Indoor Use • Thermoplastic Housing • Moisture Resistant



### Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	CA 03	IL 06	PA 10	SC 07	TX 04	Wt. each	Ctn. Qty	Price
GNXSB0607	GNXSB0607	782520857677	6V 7.2W, Single Black Remote Head				•		1.02 lbs.	1	
GNXSB1209	GNXSB1209	782520857738	12V 9W, Single Black Remote Head				•		1.02 lbs.	1	



## OCR Indoor Remote Heads

- MR 16 Halogen Lamp(s)
- Thermoplastic Housing
- Supplied With Mounting Plate



### Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	CA 03	IL 06	PA 10	SC 07	TX 04	Wt. each	Ctn. Qty	Price
OCRSW0605	OCRSW0605	782520861292	Single Remote Head, White, 6V, 5W	•	•		•		1.30 lbs.	10	
OCRDW0605	OCRDW0605	782520861346	Twin Remote Heads, White, 6V, 5W	•		•			2.60 lbs.	5	
OCRSB0605	OCRSB0605	782520861391	Single Remote Head, Black, 6V, 5W	•	•	•	•		1.30 lbs.	10	
OCRDB0605	OCRDB0605	782520861445	Twin Remote Heads, Black, 6V, 5W			•			2.60 lbs.	5	
OCRSZ0605	OCRSZ0605	782520861490	Single Remote Head, Dark Bronze, 6V, 5W	•	•	•	•		1.30 lbs.	10	
OCRDZ0605	OCRDZ0605	782520861544	Twin Remote Heads, Dark Bronze, 6V, 5W	•	•		•		2.60 lbs.	5	

Replacement lamps are available to convert the OCR Series 6V, 5W fixture to another rating:

Lamp Part Number	Description
0110261	Halogen, MR 16, 6V, 10W
0110263	Halogen, MR 16, 12V, 5W
0110264	Halogen, MR 16, 12V, 10W

To order OCR replacement lamps, enter a purchase order with the Hubbell Lighting, Inc. Customer Service Department.



## LZR Remote Head

- MR 16 Halogen Lamp(s)
- Indoor Use

- Thermoplastic Housing
- Supplied With Mountin Plate



### Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	CA 03	IL 06	PA 10	SC 07	TX 04	Wt. each	Ctn. Qty	Price
LZRSW0605	LZRSW0605	782520858346	6V 5W, White Remote Head				•		1.10 lbs.	4	
LZRSW1205	LZRSW1205	782520858360	12V 5W, White Remote Head			•			1.10 lbs.	4	



## Wire Guards • For Emergency Lighting Units and Exit Signs

• See Catalog for Exact Dimensions



### Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	CA 03	IL 06	PA 10	SC 07	TX 04	Wt. each	Ctn. Qty	Price
40G	40G	782520161101	LM-Top Mount Heads; AS, ALC-X, N4X, LN4Xand NYX Tandem Units, CVEC Series (15W and 30W models)				•		3.90 lbs.	1	
41G	41G	782520161125	Delite Cylinders, CVEC Series (50 and 100W models)				•		5.90 lbs.	1	
S6WG	S6WG	782520161132	Single Remote Heads, including LZRS Series				•		1.50 lbs.	1	
WGEL	WGEL	782520572938	EZ-2, EZ-2R, LZ High Capacity, CV SeriesTwin Remote Heads	•			•		1.50 lbs.	1	
WGTW	WGTW	782520572945	Freedom LED; LT and CVT Wall Mount Series, NYDC and NYX Series, LG1S, HCX Combo Units	•			•		2.00 lbs.	1	
WGTCE	WGTCE	782520572952	Freedom LED, LT, CVT, CVD-Ceil. Or End Mount, Ceiling Mounted NYDC and NYX Exits	•			•		2.00 lbs.	1	
WGLX	WGLX	782520837785	EXT-122-EM-K; Wall mounted LX, LEDS, CV3 and SEMPRA Exits	•	•	•	•		1.00 lbs.	1	
WGLXC	WGLXC	782520837792	Ceiling mounted LX, DK, CV3, LEDS, and SEMPRA Exits				•		1.90 lbs.	1	
WGLXE	WGLXE	782520837808	End mounted LX, CVD, CV3, LEDS and SEMPRA Exits				•		1.90 lbs.	1	
WGLZ	WGLZ	782520837778	SL1, LZ2	•			•		1.00 lbs.	1	
WG-MLT	WG-MLT	782520161156	Lite2; Wall mounted LX, CV3, SEMPRA, DEX, DKand DVD Exits	•			•		2.00 lbs.	1	



## Vandal Resistant Shields • For Emergency Lighting Units and Exit Signs

• See Catalog for Exact Dimensions



### Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	CA 03	IL 06	PA 10	SC 07	TX 04	Wt. each	Ctn. Qty	Price
VRS	VRS	782520171407	EZ-2, LZ2, LZ High Capacity, EXT-122-EM-K, EZ-2R	•		•	•		2.00 lbs.	1	
VRS3	VRS3	782520846657	Freedom LED, LX, DK, LEDS, SEMPRA	•			•		1.30 lbs.	1	
VRS-4X	VRS-4X	782520171407	EZ-2, LZ2, LZ High Capacity, EXT-122-EM-K, EZ-2R with wall gasket				•		2.00 lbs.	1	